



# Wallet Endpoints (api/Wallet)

## General Definitions

Parameter	Description
baseurl	Sandbox - <a href="https://test.xprizo.com/api">https://test.xprizo.com/api</a> Live- <a href="https://wallet.xprizo.com/api">https://wallet.xprizo.com/api</a>
apiversion	1.0
apikey	API key For authentication

## Get Wallet Information

### Request

```
curl --location --request GET
'{baseurl}/Wallet/Info?contact={username/emailid/mobilenumber}&currencyCode={currencyCode}' \
--header 'Accept: text/plain; x-api-version=1.0' \
--header 'x-api-version: {apiversion}' \
--header 'x-api-key: {apikey}'
```

Parameter	Description
contact	enter the user's mobile number, username, or email for searching
currencyCode	the currency code of the wallet to search for - leave blank to fetch the user's default wallet.

## Response (200)

```
{
  "id": <accountId>,
  "contactId": <contactId>,
  "contact": <owners Name>,
  "currencyCode": <currency code>,
  "symbol": <currency symbol>,
  "name": <wallet name>,
  "profilePicture": <owners picture>,
  "isDefault": <is the owners default wallet>,
  "isMerchant": <is the owners have merchant wallet>
}
```

---

Revision #2

Created 8 February 2024 06:32:19 by Satyendra jain

Updated 31 May 2024 07:49:29 by Satyendra jain